

SCS	IT	SCS	IT
	PROCUREMENT SERVICES		PROCUREMENT SERVICES
SCS	IT	Tel.: +41 61 927 92 92 verkauf@scsit.ch	
	PROCUREMENT SERVICES		

Hewlett-Packard HPE Midline - Festplatte - 2



✓ Delivery time: 2- 4 days

CHF **369.98**

CHF **399.95** incl.

HPE Midline - Festplatte - 2 TB - Hot-Swap - 8.9 cm LFF (3.5" LFF) - SATA 6Gb/s - 7200 rpm - mit HP SmartDrive-Träger

Manufacturer	Hewlett-Packard
EAN	4549821012190
Manufacturer#	861676-B21

Description

Do your servers need reliable, economical, high capacity Midline hard drives for your growing storage workload needs? HPE Server Midline Hard Drives deliver the highest capacity, performance and reliability to your datacenter applications. Midline hard drives allow you to store more data without sacrificing performance or reliability; they are ideal to store all your bulk storage requirements. HPE Server Midline Hard Drives are available in both 3.5-inch Large Form Factor (LFF) and 2.5-inch Small Form Factor (SFF) and ship with a standard one-year warranty. All HPE hard drives pass a rigorous qualification process, which certify that every drive is proven to perform in your HPE ProLiant Server environments. Before final certification, all HPE Server Midline Hard Drives are optimized for compatibility and functionality, including support of SMART and HPE Systems Insight Manager.

Specification

Product	HPE Midline - hard drive - 2 TB - SATA 6Gb/s
Description	

Type	Hard drive - hot-swap
------	-----------------------

Capacity	2 TB
----------	------

Form Factor	3.5" LFF
-------------	----------

Interface	SATA 6Gb/s
Data Transfer Rate	600 MBps
Spindle Speed	7200 rpm
Features	Native Command Queuing (NCQ)
Dimensions (WxDxH)	105.8 mm x 170 mm x 26.8 mm
Manufacturer Warranty	1-year warranty
Bundled with	HP SmartDrive carrier
Designed For	Nimble Storage dHCI Large Solution with HPE ProLiant DL380 Gen10, Medium Solution with HPE ProLiant DL360 Gen10, Small Solution with HPE ProLiant DL360 Gen10; ProLiant DL180 Gen9, DL360 Gen10, DL380 Gen10, DL388 Gen10, DL388 Gen9, DL80 Gen9, ML110 Gen9

Techn. Details

Device Type	Hard drive - hot-swap
Capacity	2 TB
Form Factor	3.5" LFF
Interface	SATA 6Gb/s
Bytes per Sector	512
Features	Native Command Queuing (NCQ)
Width	105.8 mm
Depth	170 mm
Height	26.8 mm
Bundled with	HP SmartDrive carrier
Drive Transfer Rate	600 MBps (external)
Seek Time	7.6 ms (average) / 15 ms (max)
Track-to-Track Seek	0.25 ms

Time	
Spindle Speed	7200 rpm
Interfaces	1 x SATA 6 Gb/s - 7 pin Serial ATA
Compatible Bay	3.5" LFF
Service & Support	Limited warranty - 1 year
Min Operating Temperature	10 °C
Max Operating Temperature	35 °C
Designed For	HPE Nimble Storage dHCI Large Solution with HPE ProLiant DL380 Gen10 (3.5"), Medium Solution with HPE ProLiant DL360 Gen10 (3.5"), Small Solution with HPE ProLiant DL360 Gen10 (3.5") HPE ProLiant DL180 Gen9 (3.5"), DL180 Gen9 Base (3.5"), DL180 Gen9 Entry (3.5"), DL180 Gen9 Storage (3.5"), DL360 Gen10 (3.5"), DL360 Gen10 Base (3.5"), DL360 Gen10 Compute Server for Cohesity DataPlatform (3.5"), DL360 Gen10 Entry (3.5"), DL360 Gen10 High Performance (3.5"), DL360 Gen10 Low (3.5"), DL360 Gen10 Network Choice (3.5"), DL360 Gen10 Performance (3.5"), DL360 Gen10 Performance for Cohesity DataPlatform (3.5"), DL360 Gen10 SMB (3.5"), DL360 Gen10 SMB Network Choice (3.5"), DL360 Gen10 Solution (3.5"), DL380 Gen10 (3.5"), DL380 Gen10 All Flash Server for Datera (3.5"), DL380 Gen10 Base (3.5"), DL380 Gen10 Entry (3.5"), DL380 Gen10 Entry SMB (3.5"), DL380 Gen10 for Cohesity DataPlatform (3.5"), DL380 Gen10 for SAP HANA Compute Block (3.5"), DL380 Gen10 High Performance (3.5"), DL380 Gen10 Hybrid Server for Datera (3.5"), DL380 Gen10 Network Choice (3.5"), DL380 Gen10 Network Choice for CTERA (3.5"), DL380 Gen10 Network Choice for SAP HANA Compute Block (3.5"), DL380 Gen10 Performance (3.5"), DL380 Gen10 Server for CTERA (3.5"), DL380 Gen10 SMB (3.5"), DL380 Gen10 SMB Networking Choice (3.5"), DL380 Gen10 Solution (3.5"), DL388 Gen10 (3.5"), DL388 Gen9 (3.5"), DL388 Gen9 Base (3.5"), DL80 Gen9 Entry (3.5"), ML110 Gen9 (3.5"), ML110 Gen9 Base (3.5"), ML110 Gen9 Entry (3.5")