SCS IT

PROCUREMENT
SERVICES

PROCUREMENT
SERVICES

Tel.: +41 61 927 92 92
verkauf@scsit.ch

Noctua Gehäuselüfter NF-A4x20 PWM



✓ Delivery time: 2- 4 days

CHF 17.58

CHF **19.00** incl.

Noctua Gehäuselüfter NF-A4x20 PWM, Lüfterdimension: 40 mm, Schnittstellen: 4-Pin (PWM)

Manufacturer Noctua

EAN 9010018100105 Manufacturer# NF-A4x20-PWM

Description

Featuring advanced aerodynamic design measures such as flow acceleration channels and Noctua's AAO frame, the NF-A4x20 is a highly optimized, premium-quality quiet fan.

Specification

Product Description	Noctua NF-A4x20 PWM - case fan
Product Type	Case fan
Package Content	Screws, Low-Noise Adaptor (L.N.A.), OmniJoin Adaptor Set, extension cable (30 cm), 4-pin PWM Y-cable, NA-AV3 anti-vibration mounts
Fan Diameter	40 mm
Fan Height	20 mm
Fan Bearing	SSO2 bearing

Rotation Speed	5000 rpm
Air Flow	9.4 cfm
Noise Level	14.9 dBA
Power Connector	4-pin fan connector
Rated Voltage	12 V
Features	Pulse-width modulation (PWM) support, Advanced Acoustic Optimisation (AAO), flow acceleration channels, Smooth Commutation Drive (SCD) technology, integrated anti-vibration pads, Stepped Inlet Design, Inner Surface Microstructures
Dimensions (WxDxH)	4 cm x 4 cm x 2 cm
Manufacturer Warranty	6-year warranty

Product Type	Case fan
Package Content	Screws, Low-Noise Adaptor (L.N.A.), OmniJoin Adaptor Set, extension cable (30 cm), 4-pin PWM Y-cable, NA-AV3 anti-vibration mounts
Width	4 cm
Depth	4 cm
Height	2 cm
Fan Diameter	40 mm
Fan Height	20 mm
Fan Bearing	SSO2 bearing
Rotation Speed	5000 rpm
Air Flow	9.4 cfm
Noise Level	14.9 dBA
Power Connector	4-pin fan connector
Rated Voltage	12 V

Rated Current	0.05 A
Power Consumption	0.6 W
Features	Pulse-width modulation (PWM) support, Advanced Acoustic Optimisation (AAO), flow acceleration channels, Smooth Commutation Drive (SCD) technology, integrated anti-vibration pads, Stepped Inlet Design, Inner Surface Microstructures
Mounting Kit	Included
MTBF	150,000 hour(s)
Service & Support	Limited warranty: - 6 years

Date added: 2018-02-12 08:00:42 / SID: 291592 / DID: 639498