

SCS	IT	SCS	IT
	PROCUREMENT SERVICES		PROCUREMENT SERVICES
SCS	IT	Tel.: +41 61 927 92 92 verkauf@scsit.ch	
	PROCUREMENT SERVICES		

Datalogic ADC Datalogic Heron HD3130 white



? Next possible delivery date: May 12, 2024

CHF **125.81**

CHF **136.00** incl.

Datalogic Heron HD3130 white, Scanner Anwendung: Point of Sale (PoS), Schutzklasse: IP40, Verbindungsmöglichkeiten: Kabelgebunden, Schnittstellen: USB, Scanner Dekodierfähigkeit: 1D-Codes

Manufacturer	Datalogic ADC
EAN	0000000000000
Manufacturer#	HD3130-WHK1B

Description

The Heron HD3100 linear imager brings unmatched elegance along with the advanced technology to the modern point-of-sale. The stylish silhouette of the great imager enriched with multiple color changing lights, innovative and modern design material, together with the audio speaker, amplifies the customer's brand experience at the point-of-sale. The Heron imager features in-mold decorated top covers with a choice of 'Carbon Fiber' or 'Silver' design. This imager also offers opportunities to incorporate a company brand identity by allowing customers to compose the perfect blend: combining a company logo with the top cover color with customized visual and audio feedback in order to reinforce the value of the customer's brand. The Heron HD3100 imager provides outstanding reading performance. It also includes the patented 'Green Spot' technology for good-read feedback with extended functionalities: the Green Spot can be used as an 'aiming tool' when used in hands-free operations, and when placed in the stand, the Green Spot remains on, showing the operator where to position the code for quicker and intuitive reading. The Heron imager is a fusion of the features your business needs, the fashionable style customers will love, and the enticing allure of light and sound. You will be empowered to deliver unique scanning solution!

Specification

Product Description

Datalogic Heron HD3130 - barcode scanner

Type	Barcode scanner - handheld - USB - decoded
Colour	White
Minimum Bar Width	4 mil
Scan Element Type	CCD
Scan Speed	270 scan / sec
Connectivity Technology	Wired
Dimensions (WxDxH)	6.8 cm x 15.2 cm x 15.3 cm
Weight	150 g
Manufacturer Warranty	5-year warranty

Techn. Details

Type	Barcode scanner - handheld
Colour	White
Interface Type	USB
Minimum Bar Width	4 mil
Scan Element Type	CCD
Scan Mode	Single-pass
Scan Speed	270 scan / sec
Max Working Distance	60 cm
Print Contrast Signal (PCS)	15%
Decode Capability	GS1 DataBar, China Post, GS1 DataBar Stacked Omnidirectional, GS1 DataBar Expanded Stacked, GS1 DataBar Stacked
TTL Decoding	Decoded
Connectivity Technology	Wired
OK Notification	Beeper, LED indicator
Features	Triggered, Green Spot technology
Interfaces	1 x USB
Included	Stand

Accessories

Cables Included	1 x USB cable
Compliant Standards	RoHS, IP40, IEC 62471
Electric Current Required	500 mA (peak), 300 mA (typical)
Width	6.8 cm
Depth	15.2 cm
Height	15.3 cm
Weight	150 g
Service & Support	Limited warranty - 5 years
Min Operating Temperature	0 °C
Max Operating Temperature	50 °C
Humidity Range Operating	5 - 90% (non-condensing)
Drop Specification	1.5 m to concrete