

SCS	IT	SCS	IT
	PROCUREMENT SERVICES		PROCUREMENT SERVICES
SCS	IT	Tel.: +41 61 927 92 92 verkauf@scsit.ch	
	PROCUREMENT SERVICES		

ATEN Technology Aten KVM-Konsole CL6700MW



✓ Delivery time: 2- 4 days

CHF **1,123.73**

CHF **1,214.75** incl.

Aten KVM-Konsole CL6700MW, Tastaturlayout: QWERTZ (CH), Konsolen Ports: VGA; DVI-D; HDMI Typ A; 3,5 mm Kopfhöreranschluss; USB 2.0, Bildschirmdiagonale: 17.3 "

Manufacturer	ATEN Technology
EAN	4719264642517
Manufacturer#	CL6700MW CH

Description

The CL6700MW DVI Full HD LCD console is a single rail KVM console featuring a 17.3" high-definition widescreen with an integrated keyboard and touchpad in a 1U rack-mountable sliding housing. The CL6700MW's console provides front end access to compatible KVM switches utilizing space with a module that closes flat and slides into the rack. The single rail design allows the LCD monitor, keyboard and touchpad to operate independently of each other. Multiple video ports allow the console to connect one of three types of video sources: VGA, DVI, or HDMI - for the console and CPU connection. For added convenience, the full HD console provides two HDMI ports that allow for connecting a high-definition monitor to the console port, and/or an HDMI compatible switch to the KVM port. The CL6700MW features a port for an external USB mouse on the unit's front panel, while ports for the second KVM console are provided on the rear panel. Server rooms already installed with compatible DVI KVM switches will have the advantage of easy access, an additional console, and a built-in space saving sliding module, without having to purchase a KVM switch. The CL6700MW includes two mini stereo ports for connecting audio speakers.

Specification

Product Description	ATEN CL6700MW - KVM console - Full HD (1080p) - 17.3"
Device Type	KVM console - 17.3"

KVM Switch	USB
Features	Keyboard, touchpad
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.1989 mm
Brightness	300 cd/m²
Contrast Ratio	650:1
Response Time	8 ms
Colour Support	262,144 colours
Input Connectors	HDMI, DVI-D, VGA
Voltage	AC 120/230 V (50/60 Hz)
Dimensions (WxDxH)	48 cm x 58.92 cm x 4.4 cm
Height (Rack Units)	1U
Weight	11.38 kg
Localisation	Swiss
Compliant Standards	DDC-2B, RoHS, DDC, WEEE

Techn. Details

Display Type	KVM console
Diagonal Size	17.3"
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.1989 mm
Brightness	300 cd/m²
Contrast Ratio	650:1
Colour Support	262,144 colours
Response	8 ms

Time	
Horizontal Viewing Angle	140
Vertical Viewing Angle	120
Backlight Technology	LED backlight
OSD Languages	Hungarian, Chinese (traditional), German, French, Italian, Swedish, Russian, Spanish, Greek, Japanese, Korean, Swiss, UK English, US English
Dimensions (WxDxH)	48 cm x 58.92 cm x 4.4 cm
Height (Rack Units)	1U
Weight	11.38 kg
Type	Keyboard, touchpad
Keyboard / Mouse Interface	USB
Max Resolution	1920 x 1080 @ 60 Hz
Interfaces	USB (Type B) USB (Type A) VGA output 2 x DVI-D 2 x HDMI VGA 2 x audio line-out Keyboard (USB) Mouse (USB) Management (RJ-11)
Features	Lockable, firmware upgradable, metal housing
Cables Included	1 x keyboard / mouse / video / USB cable
Rack Mounting Kit	Included
Compliant Standards	DDC-2B, RoHS, DDC, WEEE
Localisation	Swiss
Input Voltage	AC 120/230 V (50/60 Hz)
Power Consumption (Typical)	19.4 Watt

OS Required	Apple MacOS 9.0 or later, Microsoft Windows, IBM AIX 4.3 or later, Novell NetWare 5.0 or later, SunSoft Solaris 8 or later, Mandrake Linux 9.0 or later, FreeBSD 5.x or later, Microsoft DOS 6.2 or later, SuSE Linux 10.0 or later, Red Hat Linux 9.0
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	0 - 80% (non-condensing)

Related Prod.

KVM-Kabel



Aten KVM-Kabel 2L-7D03U



CHF **36.36**

CHF **39.30** incl.



Aten KVM-Kabel 2L-7D02UH



CHF **28.40**

CHF **30.70** incl.



Aten KVM-Kabel 2L-7D02U



CHF **25.53**

CHF **27.60** incl.

KVM



Aten KVM Switch CS1768, Konsolen Ports: USB 2.0, VGA, 3.5 mm Kopfhöreranschluss, DVI-I, 3.5 mm Mikrofoneingang, Computer Ports: 3.5 mm Mikrofoneingang, 3.5 mm Kopfhöreranschluss, USB 2.0, DVI-I, KVM-Art: Lokal, Anzahl Geräte: 8, Montage: 19" Rack, Stromversorgung: Externes Netzteil



CHF **458.28**

CHF **495.40**

incl.