

SCS	IT	SCS	IT
	PROCUREMENT SERVICES		PROCUREMENT SERVICES
SCS	IT	Tel.: +41 61 927 92 92 verkauf@scsit.ch	
	PROCUREMENT SERVICES		

Hewlett-Packard HP Drucker LaserJet



? Delivery date unknown

List Price:

~~CHF 5,419.60~~

Instant Savings:

CHF -42.95

CHF **4,973.77**

CHF **5,376.65** incl.

HP Drucker LaserJet Enterprise 700 MFP M725z, Anzahl Papierzuführungen (integriert): 6, Anzahl Papierzuführungen (maximal): 6, Bildschirmdiagonale (cm): 20.8 cm, Breite: 91.7 cm, Direktdruck: Mopria, ePrint, AirPrint, Displayeigenschaften: Graphisch, Farbig

Manufacturer Hewlett-Packard
 EAN 0887111017116
 Manufacturer# CF068A#BAZ
 Energy label



Description

Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity. Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.

Specification

Product	HP LaserJet Enterprise MFP M725z - multifunction printer - B/W
Description	
Device Type	Multifunction printer
Fax Type	Plain paper

Localisation	English, German, French, Italian / Switzerland
Printing Technology	Laser (monochrome)
Monthly Duty Cycle (max)	200000 impressions
Recommended Monthly Volume	5000 - 20000 pages
Max Copying Speed	Up to 41 ppm
Max Copying Resolution	Up to 600 x 600 dpi
Max Printing Speed	Up to 41 ppm
Max Printing Resolution	Up to 1200 x 1200 dpi
Max Fax Transmission Speed	33.6 Kbps
Fax Resolutions	300 x 300 dpi, 204 x 98 dpi, 204 x 196 dpi
Scanning	600 x 600 dpi
Original Size	A3 (297 x 420 mm) (max)
Original Type	Sheets
Document Feeder Capacity	100 sheets
Media Size	76.2 x 127 mm (min) - 312 x 469.9 mm (max)
Media Type	Transparencies, envelopes, plain paper, labels, recycled paper, bond paper, vellum paper, card stock, light-weight paper
Standard Media Capacity	2100 sheets
Max Media Capacity	4600 sheets
Bypass Feeder	100 sheets

Capacity	
Output Trays Capacity	750 sheets
Stacker	Included
Stapler	Included
Automatic Duplexing	Yes (copying) Yes (printing) Yes (scanning)
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB host, USB host (internal)
AirPrint Enabled	Yes
Office Machine Features	Document send function, save to USB flash drive, scan to e-mail, scan to network, Hardware Integration Pocket, hard disk included, Foreign Interface Harness (FIH), HP High-Performance Secure Hard Disk
Power	AC 230 V (50/60Hz)
Dimensions (WxDxH)	74.5 cm x 68.1 cm x 119.2 cm
Weight	92.35 kg
Environmental Standards	EPEAT Silver, ENERGY STAR Qualified, Blue Angel
Manufacturer Warranty	1-year warranty

Techn. Details

Device Type	Multifunction printer
Fax Type	Plain paper
Printing Technology	Laser - monochrome
Monthly Duty Cycle (max)	200000 impressions
Recommended Monthly Volume	5000 - 20000 pages
Display	Touch screen

Features	
Connection Availability	Yes
Interface	USB 2.0, Gigabit LAN, USB host, USB host (internal)
AirPrint Enabled	Yes
Office Machine Features	Document send function, save to USB flash drive, scan to e-mail, scan to network, Hardware Integration Pocket, hard disk included, Foreign Interface Harness (FIH), HP High-Performance Secure Hard Disk
Localisation	English, German, French, Italian / Switzerland
Standard Memory	1 GB
Max Supported Memory	1.5 GB
Supported Flash Memory	USB flash drive
Max Copying Speed	Up to 41 ppm
Max Copying Resolution	Up to 600 x 600 dpi
Max Document Enlargement	400%
Max Document Reduction	25%
Maximum Copies	9999
Automatic Duplexing	Yes
Copying Features	Auto colour select
Max Printing Resolution	Up to 1200 x 1200 dpi
Max Printing Speed	Up to 41 ppm
Printer Drivers / Emulations	PCL 5e, PCL 6, PostScript 3, PDF

Image Enhancement Technology	HP FastRes 1200, HP ProRes 1200
Automatic Duplexing	Yes
First Print Out Time B/W	10 sec
Scan Element	CCD
Automatic Duplexing	Yes
Optical Resolution	600 x 600 dpi
Grayscale Depth	8-bit
Colour Depth	24-bit
Max Transmission Speed	33.6 Kbps
Fax Resolutions	300 x 300 dpi, 204 x 98 dpi, 204 x 196 dpi
Total Memory Capacity	Up to 100 pages
Fax Printing Resolution	400 x 400 dpi
Speed Dialing	100 station(s)
Broadcast Transmission	100 stations
Features	Fax polling
Max Original Size	A3 (297 x 420 mm)
Original Type	Sheets
Document Feeder Capacity	100 sheets
Min Media Size	76.2 x 127 mm
Max Media	A3/Ledger

Size	
Min Media Weight	60 g/m ²
Max Media Weight	199 g/m ²
Supported Media Type	Transparencies, envelopes, plain paper, labels, recycled paper, bond paper, vellum paper, card stock, light-weight paper
Supported Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm), JIS B5 (182 x 257 mm), JIS B4 (257 x 364 mm), B6 (125 x 176 mm), 76.2 x 127 mm, JIS B6 (128 x 182 mm), 297 x 363 mm, 312 x 469.9 mm, 297 x 431 mm
Standard Media Capacity	2100 sheets
Max Media Capacity	4600 sheets
Bypass Feeder Capacity	100 sheets
Output Trays Capacity	750 sheets
Document & Media Handling Details	ADF - 100 sheets - A3 (297 x 420 mm) weight: 45 g/m ² - 199 g/m ² Bypass tray - 100 sheets size: 76.2 x 127 mm - 312 x 469.9 mm weight: 60 g/m ² - 199 g/m ² Input tray - 250 sheets size: 148 x 210 mm - 297 x 363 mm weight: 60 g/m ² - 120 g/m ² Input tray - 250 sheets size: 148 x 210 mm - 297 x 431 mm weight: 60 g/m ² - 120 g/m ² Output tray - 250 sheets 3 x input tray - 500 sheets weight: 60 g/m ² - 120 g/m ² Stacker / stapler - 500 sheets
Speed Details	Scanning: up to 50 ppm (A4) - B/W normal Scanning: up to 30 ppm (A4) - colour normal Scanning: up to 19 ipm (A4) - B/W duplex Scanning: up to 14 ipm (A4) - colour duplex Printing: up to 41 ppm (A4) - B/W (ISO) Printing: up to 20 ppm (A3) - B/W (ISO) Copying: up to 41 ppm (A4) - B/W (ISO) Printing: up to 41 ppm (A4) - B/W normal Copying: up to 40 ppm (Letter A) - B/W (ISO) Printing: up to 28 ipm (A4) - B/W duplex Printing: up to 28 ipm (Letter A) - B/W duplex Printing: up to 20 ppm (Tabloid) - B/W (ISO)
Stacker	Included
Stapler	Included
Interfaces	1 x USB 2.0 - 4 pin USB Type B 2 x USB host - 4 pin USB Type A 2 x USB host (internal) 1 x Gigabit LAN - RJ-45
Security Protocols & Features	Kerberos, SSL, TLS, IPsec, 802.1x
Operating System	MS Windows Server 2008 x64 Edition, MS Windows XP SP2 or later, MS Windows 7, MS Windows Vista, MS Windows Server 2008, Apple Mac OS X 10.6, Apple Mac OS X 10.7, MS

Support	Windows Server 2008 R2 x64 Edition, MS Windows Server 2003 SP1 or later, Apple Mac OS X 10.8, Windows 8, MS Windows Server 2012 x64 Edition
Software Included	Drivers & Utilities, HP Web Jetadmin
Voltage Required	AC 230 V (50/60Hz)
Power Consumption Operational	890 Watt
Power Consumption Standby	39 Watt
Power Consumption Sleep	6.5 Watt
Included Accessories	Phone cable, stand
Consumables Included	1 x toner cartridge (black) - up to 10000 pages
Compliant Standards	GS, EN55024, EN55022 Class A, CISPR 22, EMC, Laser Class 1, IEC 60950-1, EN 60950-1, IEC 60825-1, EN 60825-1, LVD, EN 61000-3-2:2006, EN 61000-3-3:2008
EPEAT Compliant	EPEAT Silver
ENERGY STAR Certified	Yes
Blue Angel Compliant	Yes
Service & Support	Limited warranty - 1 year - on-site
Width	74.5 cm
Depth	68.1 cm
Height	119.2 cm
Weight	92.35 kg
Shipping Width	85.6 cm
Shipping Depth	76 cm
Shipping	155.3 cm

Height	
Shipping Weight	113 kg
Sound Emission	54 dBA (operating)
Min Operating Temperature	10 °C
Max Operating Temperature	32.5 °C
Humidity Range Operating	20 - 80%

Date added: 2020-06-18 08:28:19 / SID: 806092 / DID: 346785