

|            |                         |                                            |                         |
|------------|-------------------------|--------------------------------------------|-------------------------|
| <b>SCS</b> | <b>IT</b>               | <b>SCS</b>                                 | <b>IT</b>               |
|            | PROCUREMENT<br>SERVICES |                                            | PROCUREMENT<br>SERVICES |
| <b>SCS</b> | <b>IT</b>               | Tel.: +41 61 927 92 92<br>verkauf@scsit.ch |                         |
|            | PROCUREMENT<br>SERVICES |                                            |                         |

## OKI Drucker C844DNW, Druckertyp: Farbig



✓ Delivery time: 2- 4 days

CHF **1,322.11**

CHF **1,429.20** incl.

**OKI Drucker C844DNW, Druckertyp: Farbig, Drucktechnik: Laser, Total Fassungsvermögen  
Papierzuführungen: 400 Seiten, Anzahl Papierzuführungen (maximal): 6,  
Druckgeschwindigkeit (farbig): 36 ppm, Druckgeschwindigkeit (schwarz-weiss): 36 ppm**

Manufacturer OKI  
EAN 5031713071655  
Manufacturer# 47074304  
Energy label



### Description

To get the very best out of your C800 series compact A3 color printer, OKI printing solutions provide everything you need to maximize the quality and versatility of its output.

### Specification

|              |                                      |
|--------------|--------------------------------------|
| Product      | OKI C844dnw - printer - colour - LED |
| Description  |                                      |
| Printer Type | Workgroup printer - LED - colour     |
| Weight       | 40 kg                                |
| Localisation | Europe                               |
| Media Size   | A3                                   |
| Class        |                                      |

|                              |                                                                                                                                                                         |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Max Media Size               | A3 (297 x 420 mm)                                                                                                                                                       |
| Min Media Size (Custom)      | 127 mm x 182 mm                                                                                                                                                         |
| Max Media Size (Custom)      | 297 mm x 1321 mm                                                                                                                                                        |
| Print Speed                  | Up to 36 ppm - B/W - A4 (210 x 297 mm) ¦ Up to 36 ppm - colour - A4 (210 x 297 mm) ¦ Up to 20 ppm - B/W - A3 (297 x 420 mm) ¦ Up to 20 ppm - colour - A3 (297 x 420 mm) |
| Max Resolution (B&W)         | 1200 x 1200 dpi                                                                                                                                                         |
| Max Resolution (Colour)      | 1200 x 1200 dpi                                                                                                                                                         |
| Automatic Duplexing          | Yes                                                                                                                                                                     |
| Interface                    | USB 2.0, Gigabit LAN, Wi-Fi(n), NFC, USB 2.0 host                                                                                                                       |
| AirPrint Enabled             | Yes                                                                                                                                                                     |
| RAM Installed (Max)          | 1 GB (1 GB)                                                                                                                                                             |
| Flash Memory Installed (Max) | 3 GB                                                                                                                                                                    |
| Language Simulation          | PCL 5C, PostScript 3, EPSON FX, IBM PPR, PCL 6, SIDM, PCL XL 3.0, PDF 1.7                                                                                               |
| Barcodes                     | Code 39, UCC/EAN-128, QR code, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, Interleaved 2 of 5, Postnet, PDF417, OCR-A, OCR-B, ZIP                           |
| Media Type                   | Envelopes, plain paper                                                                                                                                                  |
| Total Media Capacity         | 400 sheets                                                                                                                                                              |
| Media Handling               | 100-sheet multipurpose tray, 300-sheet input tray                                                                                                                       |
| Monthly Duty Cycle (max)     | 75000 pages                                                                                                                                                             |
| Recommended Monthly Volume   | 5000 pages                                                                                                                                                              |

|                       |                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Networking            | Print server                                                                                                                                                                                                                                                                                                                                                                                 |
| System Requirements   | Linux, Android, Microsoft Windows Vista (32/64 bits), Microsoft Windows Server 2008 R2 x64 Edition, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Apple iOS, Windows 8 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2 x64 Edition, Windows 10 (32/64 bits), Apple MacOS X 10.10 - 10.13 |
| Manufacturer Warranty | 3-year warranty with product registration                                                                                                                                                                                                                                                                                                                                                    |
| Dimensions (WxDxH)    | 44.9 cm x 55.2 cm x 36 cm                                                                                                                                                                                                                                                                                                                                                                    |

## Techn. Details

|                             |                                                                                                                                                                         |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Printer Type                | Workgroup printer - LED - colour                                                                                                                                        |
| Localisation                | Europe                                                                                                                                                                  |
| Print Speed                 | Up to 36 ppm - B/W - A4 (210 x 297 mm) ¦ Up to 36 ppm - colour - A4 (210 x 297 mm) ¦ Up to 20 ppm - B/W - A3 (297 x 420 mm) ¦ Up to 20 ppm - colour - A3 (297 x 420 mm) |
| Built-in Devices            | Status LCD                                                                                                                                                              |
| Connectivity Technology     | Wired                                                                                                                                                                   |
| Interface                   | USB 2.0, Gigabit LAN, Wi-Fi(n), NFC, USB 2.0 host                                                                                                                       |
| AirPrint Enabled            | Yes                                                                                                                                                                     |
| Max Resolution (B&W)        | 1200 x 1200 dpi                                                                                                                                                         |
| Max Resolution (Colour)     | 1200 x 1200 dpi                                                                                                                                                         |
| Automatic Duplexing         | Yes                                                                                                                                                                     |
| PostScript Support          | Standard                                                                                                                                                                |
| First Print Out Time B/W    | 6.3 sec                                                                                                                                                                 |
| First Print Out Time Colour | 6.3 sec                                                                                                                                                                 |

|                          |                                                                                                                                                                                                                   |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Language Simulation      | PCL 5C, PostScript 3, EPSON FX, IBM PPR, PCL 6, SIDM, PCL XL 3.0, PDF 1.7                                                                                                                                         |
| Fonts Included           | 87 x scalable PCL   4 x bitmapped PCL   80 x PostScript                                                                                                                                                           |
| Barcodes                 | Code 39, UCC/EAN-128, QR code, EAN/JAN-8, EAN/JAN-13, UPC-A, UPC-E, Codabar, Code 128, Interleaved 2 of 5, Postnet, PDF417, OCR-A, OCR-B, ZIP                                                                     |
| Media Handling           | 100-sheet multipurpose tray, 300-sheet input tray                                                                                                                                                                 |
| RAM Installed (Max)      | 1 GB / 1 GB (max)                                                                                                                                                                                                 |
| Flash Memory             | 3 GB                                                                                                                                                                                                              |
| Media Type               | Envelopes, plain paper                                                                                                                                                                                            |
| Media Size Class         | A3                                                                                                                                                                                                                |
| Max Media Size           | A3 (297 x 420 mm)                                                                                                                                                                                                 |
| Min Media Size (Custom)  | 127 mm x 182 mm                                                                                                                                                                                                   |
| Max Media Size (Custom)  | 297 mm x 1321 mm                                                                                                                                                                                                  |
| Media Sizes              | A4 (210 x 297 mm), A5 (148 x 210 mm), B5 (176 x 250 mm), A3 (297 x 420 mm), B4 (250 x 353 mm), A6 (105 x 148 mm)                                                                                                  |
| Envelope Sizes           | International DL (110 x 220 mm), Com-10 (105 x 241 mm), International C5 (162 x 229 mm), International C4 (229 x 324 mm)                                                                                          |
| Media Weight             | 64 g/m <sup>2</sup> - 256 g/m <sup>2</sup>                                                                                                                                                                        |
| Total Media Capacity     | 400 sheets                                                                                                                                                                                                        |
| Media Feeders            | Input tray: 1 x automatic - 300 sheets - A3 (297 x 420 mm) weight: 64 g/m <sup>2</sup> - 220 g/m <sup>2</sup>   Multi-purpose tray: 1 x automatic - 100 sheets weight: 64 g/m <sup>2</sup> - 256 g/m <sup>2</sup> |
| Max Media Capacity       | 2450 sheets                                                                                                                                                                                                       |
| Output Trays Capacity    | 250 sheets                                                                                                                                                                                                        |
| Monthly Duty Cycle (max) | 75000 pages                                                                                                                                                                                                       |
| Recommended Monthly      | 5000 pages                                                                                                                                                                                                        |

|                               |                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Volume                        |                                                                                                                                                                                                                                                                                                                                                                                              |
| Networking                    | Print server                                                                                                                                                                                                                                                                                                                                                                                 |
| Remote Management Protocol    | SNMP 1, Telnet, SNMP 3, IPP, HTTPS, IPPS                                                                                                                                                                                                                                                                                                                                                     |
| Security Protocols & Features | TLS, IPsec, 802.1x, SSL 3                                                                                                                                                                                                                                                                                                                                                                    |
| Connections                   | 1 x USB 2.0 - 4 pin USB Type B   1 x Gigabit LAN - RJ-45   1 x USB 2.0 host - 4 pin USB Type A                                                                                                                                                                                                                                                                                               |
| Consumables Included          | 1 x toner cartridge (black) - up to 2500 pages ISO/IEC 19798   1 x toner cartridge (cyan) - up to 2500 pages ISO/IEC 19798   1 x toner cartridge (magenta) - up to 2500 pages ISO/IEC 19798   1 x toner cartridge (yellow) - up to 2500 pages ISO/IEC 19798                                                                                                                                  |
| Power Device                  | Power supply - internal                                                                                                                                                                                                                                                                                                                                                                      |
| Frequency Required            | 50/60 Hz                                                                                                                                                                                                                                                                                                                                                                                     |
| Power Consumption Operational | 680 Watt                                                                                                                                                                                                                                                                                                                                                                                     |
| Power Consumption Stand by    | 13 Watt                                                                                                                                                                                                                                                                                                                                                                                      |
| Power Consumption Sleep       | 1 Watt                                                                                                                                                                                                                                                                                                                                                                                       |
| Software Included             | OKI PrintSuperVision, OKI LPR, OKI Profile Assistant, OKI Color Correct, OKI Color Swatch Utility, OKI Network Extension, OKI Template Manager, OKI PS Gamma Adjuster, OKI Print Job Accounting, OKI Configuration Tool, OKI Firmware Update Tool, OKI Network Card Setup                                                                                                                    |
| OS Required                   | Linux, Android, Microsoft Windows Vista (32/64 bits), Microsoft Windows Server 2008 R2 x64 Edition, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Apple iOS, Windows 8 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Windows 8.1 (32/64 bits), Microsoft Windows Server 2012 R2 x64 Edition, Windows 10 (32/64 bits), Apple MacOS X 10.10 - 10.13 |
| ENERGY STAR                   | Yes                                                                                                                                                                                                                                                                                                                                                                                          |
| Service & Support             | Limited warranty - 3 years with product registration (within 30 days of purchase)                                                                                                                                                                                                                                                                                                            |
| Min Operating Temperature     | 10 °C                                                                                                                                                                                                                                                                                                                                                                                        |

|                            |          |
|----------------------------|----------|
| Max Operating Temperature  | 32 °C    |
| Humidity Range Operating   | 20 - 80% |
| Sound Emission (Idle)      | 32 dBA   |
| Sound Emission (Operating) | 54 dBA   |
| Width                      | 44.9 cm  |
| Depth                      | 55.2 cm  |
| Height                     | 36 cm    |
| Weight                     | 40 kg    |

## Related Prod.

### Toner (12 )



OKI Toner 46861306 Magenta, Druckleistung Seiten: 10000 ×, Toner/Tinte Farbe: Magenta, Originalprodukt 

CHF **195.00**  
CHF **210.80**  
incl.



OKI Toner 47095703 Cyan, Druckleistung Seiten: 5000 ×, Toner/Tinte Farbe: Cyan, Originalprodukt 

CHF **146.02**  
CHF **157.85**  
incl.



OKI Toner 46861305 Yellow, Druckleistung Seiten: 10000 ×, Toner/Tinte Farbe: Yellow, Originalprodukt 

CHF **195.00**  
CHF **210.80**  
incl.

### Papierschächte (Laserdrucker)



OKI Papierschacht 47074403, Total Fassungsvermögen Papierzuführungen: 535 Seiten, Medienformat: A3 

CHF **219.33**  
CHF **237.10**  
incl.