


SCS IT	SCS IT
PROCUREMENT SERVICES	PROCUREMENT SERVICES
SCS IT	Tel.: +41 61 927 92 92 verkauf@scsit.ch
PROCUREMENT SERVICES	

D-Link Switch GO-SW-5G 5 Port, Montage



? Delivery date unknown

CHF **17.62**

CHF **19.05** incl.

D-Link Switch GO-SW-5G 5 Port, Montage Switch: Desktop, SFP Anschlüsse: 0, Switch Management: Unmanaged, SFP+ Anschlüsse: 0, QSFP+ Anschlüsse: 0, SFP Geschwindigkeit: Keine SFP Ports

Manufacturer D-Link
EAN 0790069365676
Manufacturer# GO-SW-5G/E
Energy label



Description

Expand your wired home network with the D-Link 5-port unmanaged Gigabit desktop switch (GO-SW-5G). By connecting the GO-SW-5G to your router, you can add up to four more computers to your home network with Fast Ethernet connectivity. Add devices like your gaming console, printer, print server, Network-Attached Storage (NAS) or network camera with a simple Ethernet cable. Features easy access auto sensing Gigabit front Ethernet ports with a LED indicator for each port to quickly distinguish link status and activity. The GO-SW-5G switch also supports auto MDI/MDIX crossover allowing each port to be plugged directly to a server, hub, router, or switch using regular straight-through twisted-pair Ethernet cables to get you the maximum speed possible for each device connected to your network.

Specification

Product D-Link GO-SW-5G - switch - 5 ports - unmanaged
Description

Device Type Switch - 5 ports - unmanaged

Subtype	Gigabit Ethernet
Ports	5 x 10/100/1000
Performance	Switching capacity: 10 Gbps
MAC Address Table Size	4000 entries
Jumbo Frame Support	9216 bytes
Features	Flow control, auto-negotiation, auto-uplink (auto MDI/MDI-X), store and forward, half duplex mode, full duplex mode, QoS, Green Ethernet, Cable Diagnostics Function, SOHO
Compliant Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3x, IEEE 802.3az
Environmental Standards	ENERGY STAR Qualified
Dimensions (WxDxH)	9.4 cm x 7.5 cm x 2.245 cm
Weight	75 g

Techn. Details

Device Type	Switch - 5 ports - unmanaged
Enclosure Type	Desktop
Subtype	Gigabit Ethernet
Ports	5 x 10/100/1000
Performance	Switching capacity: 10 Gbps
MAC Address Table Size	4000 entries
Jumbo Frame Support	9216 bytes
Features	Flow control, auto-negotiation, auto-uplink (auto MDI/MDI-X), store and forward, half duplex mode, full duplex mode, QoS, Green Ethernet, Cable Diagnostics Function, SOHO
Compliant Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3x, IEEE 802.3az
RAM	128 KB
Status Indicators	Power, link/activity/speed

Interfaces	5 x 1000Base-T RJ-45
Power Device	External power adapter
Power Consumption Operational	2.87 Watt
ENERGY STAR Certified	Yes
MTBF	1,152,221 hours
Compliant Standards	FCC Class B certified, cUL, CB, ICES-003 Class B
Width	9.4 cm
Depth	7.5 cm
Height	2.245 cm
Weight	75 g
Shipping Width	9.9 cm
Shipping Depth	8.5 cm
Shipping Height	9.2 cm
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 90% (non-condensing)
Min Storage Temperature	-10 °C
Max Storage Temperature	70 °C
Humidity Range Storage	5 - 90% (non-condensing)

Related Prod.

Patchkabel (9)



Wirewin Slimpatchkabel Cat 6A, U/FTP, 2m, Weiss,
 Farbe: Weiss, Form: Rund & Dünn, Zusatzfunktionen:
 Mit Klinkenschutz, Längenaufdruck auf Stecker, Länge:

CHF **12.58**
 CHF **13.60** incl.

2 m, Anschlüsse LAN: RJ45 - RJ45, Produkttyp:
Slimpatchkabel



Wirewin Slimpatchkabel Cat 6A, U/FTP, 1.5m, Grau,
Farbe: Grau, Form: Flach, Zusatzfunktionen: Mit
Klinkenschutz, Längenaufdruck auf Stecker, Länge: 1.5
m, Anschlüsse LAN: RJ45 - RJ45, Produkttyp:
Slimpatchkabel

CHF **11.56**
CHF **12.50** incl.



Wirewin Slimpatchkabel Cat 6, STP, 1 m, Violett,
Farbe: Violett, Form: Flach, Zusatzfunktionen: Mit
Klinkenschutz, Längenaufdruck auf Stecker, Länge: 1
m, Anschlüsse LAN: RJ45 - RJ45, Produkttyp:
Slimpatchkabel

CHF **10.73**
CHF **11.60** incl.

